



Food Processing Equipment

Vegetable Cutter & Food Cut Up Machine
Potato Peeler
Meat Grinder & Cheese Grinder
Meat Slicer & Dicer
Sausage Filler
Filling Mixer
Bone Saw Machine



Vegetable Cutter & Food Cut Up Machine

Vegetable Cutter

Description

- With 6 different disc
- High grade stainless steel material
- Safety cover device
- Ideal for various slicing and shredding needs
- Skidproof feet



Slice



Dice



Patato Chips



Shred



CE

FP-LVC1

Dimension(LxWxH): 580×300×540mm
Voltage: 220V/50Hz
Power: 550Kw
Accessories:
Grater discs: 3mm, 4.5mm, 7mm
Slicer discs: 2mm, 4mm
Drain disc
N.W./G.W.: 23/26 kgs



CE

FP-LVC2

Dimension(LxWxH): 655×325×535mm
Voltage: 220V/50Hz
Power: 0.75Kw
Accessories:
Grater discs: 3mm, 4.5mm, 7mm
Slicer discs: 2mm, 4mm
Drain disc
N.W./G.W.: 26/30Kgs



CE

FP-HVC500

Dimension(LxWxH): 630×630×430mm
Voltage: 220V/50Hz
Power: 0.6Kw
N.W./G.W.: 31/34Kgs



CE

FP-HVC300A

Dimension(LxWxH): 540×310×550mm
Voltage: 220V/50Hz
Power: 0.55Kw
Disc diameter: 300mm
N.W./G.W.: 22/23Kgs

FOOD CUT UP MACHINE

Description

- Mainly used for cutting to make stuffing
- The machine is driven by worm wheel and worm-type speed-down gears
- Equipped with a protective device to ensure safety
- Food contact parts are made of anti-corrosion Aluminium alloy or stainless steel



CE

FP-HFCU5A

Dimension(LxWxH): 525×420×550mm
Voltage: 220V/50Hz
Power: 0.37Kw
Production capacity: 5L
Production: 80Kg/h
N.W./G.W.: 47/59Kgs



CE

FP-HFCU8A

Dimension(LxWxH): 800×550×550mm
Voltage: 220V/50Hz
Power: 0.75Kw
Production capacity: 8L
Production: 120Kg/h
N.W./G.W.: 82/100Kgs



CE

FP-HFCU20A

Dimension(LxWxH): 775×710×940mm
Voltage: 220V/50Hz
Power: 1.5/1.1Kw
Production capacity: 20L
Production: 120Kg/h
N.W.: 128/157Kgs



CE

FP-HFCU25A

Dimension(LxWxH): 990×810×980mm
Voltage: 380V/50Hz
Power: 2.2/2.8Kw
Production capacity: 25L
Production: 300Kg/h
N.W./G.W.: 242/318Kgs



CE

FP-HFCU50A

Dimension(LxWxH): 1200×1000×1138mm
Voltage: 380V/50Hz
Power: 2.2/2.8Kw
Production capacity: 50L
Production: 1000Kg/h
N.W./G.W.: 319/403Kgs

Potato Peeler

Description

- High efficiency, only 1~2 minutes for each load
- The abrasive band mounted on the inner wall make the peeling clean
- Bottom with drainage outlet
- Clear window on top for easy observation



FP-HPP8

Dimensions(LxWxH):
430x430x725mm
Voltage: 220V/50Hz
Power: 0.37Kw
Bowl Volume: 8Kg
N.W./G.W: 54/66Kgs

FP-HPP15

Dimensions(LxWxH):
475x540x785mm
Voltage: 220V/50Hz
Power: 0.75Kw
Bowl Volume: 15Kg
N.W./G.W: 69/85Kgs



FP-HPP8A

Dimensions(LxWxH):
430x430x725mm
Voltage: 220V/50Hz
Power: 0.37Kw
Bowl Volume: 8Kg
N.W./G.W: 54/66Kgs



FP-HPP15A

Dimensions(LxWxH):
475x540x785mm
Voltage: 220V/50Hz
Power: 0.75Kw
Bowl Volume: 15Kg
N.W./G.W: 69/85Kgs



FP-HPP30

Dimensions(LxWxH):
850x530x800mm
Voltage: 220V/50Hz
Power: 1.5Kw
Bowl Volume: 30Kg
N.W./G.W: 122/148Kgs



FP-HPP30A

Dimensions(LxWxH):
850x530x800mm
Voltage: 220V/50Hz
Power: 1.5Kw
Bowl Volume: 30Kg
N.W./G.W: 122/148Kgs



FP-HPP15A-H

Dimensions(LxWxH):
575x430x1085mm
Voltage: 230V/50Hz
Power: 0.75Kw
Bowl Volume: 29L
Capacity: 300kg/h
Timer: 0~5 minutes
N.W./G.W: 74/79Kgs



Peeling Disc



Waste Collector

FP-HPP20

Dimensions(LxWxH):
590x494x1105mm
Voltage: 230V/50Hz
Power: 1.1Kw
Bowl Volume: 38L
Capacity: 400kg/h
Timer: 0~5 minutes
N.W./G.W: 81/87Kgs



Seafood Brush



With Timer

Meat Grinder

Meat Grinder


Description

- With two types of grinding blade
- High quality stainless steel material
- Heavy duty
- Skidproof rubber feet
- Totally-gear driving, compact structure and stable operation



FP-HMG12UL

Dimension(LxWxH): 450×220×340mm
 Voltage: 220V/50Hz
 Power: 0.55Kw
 Production: 120Kg/h
 N.W./G.W: 31/37Kgs





TC22

Dimension(LxWxH): 410×240×450mm
 Voltage: 220V/50Hz
 Power: 0.75Kw
 Production: 220Kg/h
 N.W./G.W: 37/43Kgs



TC32

Dimension(LxWxH): 745×360×540mm
 Voltage: 380V/50Hz
 Power: 1.5Kw
 Production: 320Kg/h
 N.W./G.W: 94/108Kgs



Meat Grinder

TC42A

Dimension(LxWxH): 530×1020×950mm
 Voltage: 380V/50Hz
 Power: 4Kw
 Production capacity: 420Kg/h
 N.W./G.W: 167/197Kgs



Meat Grinder

TC42

Dimension(LxWxH): 530×1020×950mm
 Voltage: 380V/50Hz
 Power: 4Kw
 Production capacity: 420Kg/h
 N.W./G.W: 167/197Kgs



Meat Grinder

TC52

Dimension(LxWxH): 800×1350×1220mm
 Voltage: 380V/50Hz
 Power: 5.5Kw
 Production: 1300kg/h
 N.W./G.W: 418/481Kgs

Meat Grinder & Cheese Grinder

Description

- With two grinder blades and one cross blade
- Compact design, no sharp corner
- High grade stainless steel, meeting international hygienic standard
- Equipped with high efficient motor, cooling fan, precise gear drive and over load protection
- With forward-reverse switch, hard to be jammed



Meat Grinder & Cheese Grinder FP-LCGM

Dimension(LxWxH):
560×325×520mm
Voltage: 220V/50Hz
Power: 0.9Kw
Mincer Production: 180Kg/h
Cheese Grinder Production: 60Kg/h
Grater opening size: 150×95mm
N.W./G.W.: 25/27Kgs



Meat Grinder MG32SD

Dimension(LxWxH):
620×420×620mm
Voltage: 220V/50Hz
Power: 2.2Kw
Production: 400Kg/h
N.W./G.W.: 52/55 Kgs



Meat Grinder FP-LMG12M

Dimension(LxWxH):
485×365×485mm
Voltage: 220V/50Hz
Power: 0.75Kw
Production: 120Kg/h
N.W./G.W.: 31.5/34Kgs



Cheese Grinder FP-LCG

Voltage: 220V/50Hz
Power: 0.55Kw
Capacity: 40Kg/h
Grater opening size: 150×95mm
N.W./G.W.: 15.5/16.5 Kgs
Dimension(LxWxH):
490×325×485mm
1: For grinding cheese only
3: Feeding hole with cover and handle, safe to use
4: No sharp corner



Meat Grinder FP-LMG12H

Dimension(LxWxH):
680×380×550mm
Voltage: 220V/50Hz
Power: 0.735Kw
Capacity: 120Kg/h
N.W./G.W.: 30/32 Kgs



Meat Grinder FP-LMG22M

Dimension(LxWxH):
575×410×590mm
Voltage: 220V/50Hz
Power: 0.9Kw
Production: 220Kg/h
N.W./G.W.: 39/46 Kgs



Meat Grinder FP-LMG22H

Dimension(LxWxH):
680×380×550mm
Vaoltage: 220V/50Hz
Power: 0.9Kw
Capacity: 220Kg/h
N.W./G.W.: 35.5 /37.5 Kgs



Meat Grinder FP-LMG32H

Dimension(LxWxH):
700×400×570mm
Voltage: 220V/50Hz
Power: 1.1Kw
Capacity: 300Kg/h
N.W./G.W.: 38/41Kgs

Meat Slicer & Dicer



Meat Slicer & Meat Dicer TD180

Dimension(LxWxH):
560x460x915mm
Voltage: 220V/50Hz
Power: 0.75Kw
Cutting Thickness: 5mm
N.W./G.W.: 77/93Kgs



Double Meat Slicer TR180

Dimension(LxWxH):
550x430x840mm
Voltage: 220V/50Hz
Power: 0.75Kw
Cutting Thickness: 3mm, 5mm
N.W./G.W.: 85/104Kgs



Robot Cutter TZ-5

Dimension(LxWxH):
500x620x600mm
Voltage: 220V/50Hz
Power: 1.5Kw
Capacity: 5L
Time setting: 0~5 minutes
N.W./G.W.: 95/109Kgs

Meat Slicer



Description

- Imported Italian durable cutting blade
- High precision slicing thickness control
- Equipped with advanced protector, blade cover, hand protection for safety
- Skidproof feet to ensure safety



FP-LMS220

Dimension(LxWxH):
520x460x380mm
Voltage: 220V/50Hz
Power: 0.12Kw
Cutting Thickness: 0-12mm
N.W./G.W.: 14.1/15.2 Kgs



MS220 ST





FP-LMS250

Dimension(LxWxH):
520x460x380mm
Voltage: 220V/50Hz
Power: 0.15Kw
Cutting Thickness: 0-12mm
N.W./G.W.: 14.3/16 Kgs





FP-LMS275

Dimension(LxWxH):
570x460x395mm
Voltage: 220V/50Hz
Power: 0.2Kw
Cutting Thickness: 0-12mm
N.W./G.W.: 16.5/18 Kgs



MS250 ST



MS275 ST



FP-LMS300

Dimension(LxWxH):
630x530x460mm
Voltage: 220V/50Hz
Max Power: 0.25Kw
Cutting Thickness: 0-12mm
N.W./G.W.: 24.3/26 Kgs



MS220 SG

Dimension(LxWxH):
520x460x380mm
Voltage: 220V/50Hz
Power: 0.12Kw
Cutting Thickness: 0-12mm
N.W./G.W.: 17/18Kgs



FP-LEMT Electric Tenderizer

Dimension(LxWxH):
480x250x480mm
Voltage: 220V/50Hz
Capacity: 200kg/h
N.W./G.W.: 20/22Kgs
Meat stripper attachment for options



FP-LMMT Electric Tenderizer

Dimension(LxWxH):
360x210x480mm
Capacity: 120kg/h
N.W./G.W.: 12/14 Kgs
Meat stripper attachment for options

Sausage Filler

Sausage Filler

Description

- Filling speed can be controlled
- Hydraulic pressure system, low noise and fast.
- Equipped with knee-switch, convenient to operate
- With lockable wheels, easy to move.



FP-HSF-280

Dimension(LxWxH):
600×400×1240mm
Voltage: 220V/50Hz
Power: 0.55Kw
Bowl dia: Φ 200mm
Productivity: 280kg/h
Bowl Volume: 10L
N.W: 75kgs



FP-HSF-400

Dimension(LxWxH):
640×485×1240mm
Voltage: 220V/50Hz
Power: 0.75Kw
Bowl dia: Φ 260mm
Productivity: 400kg/h
Bowl Volume: 17L
N.W: 90kgs



FP-HSF-520

Dimension(LxWxH):
735×560×1240mm
Voltage: 220V/50Hz
Power: 0.75Kw
Bowl dia: Φ 320mm
Productivity: 520kg/h
Bowl Volume: 25L
N.W: 105kgs



FP-HSF-8F

Dimension(LxWxH):
400×540×980mm
Bowl Volume: 8L
N.W: 43kgs



FP-HSF-16F

Dimension(LxWxH):
450×570×1120mm
Bowl Volume: 16L
N.W: 52kgs



FP-LSF10V

Dimension(LxWxH):
810×360×270mm
N.W./G.W.: 19/22Kgs
Capacity: 10L

FP-LSF12V

Dimension(LxWxH):
810×430×310mm
N.W./G.W.: 31/34Kgs
Capacity: 12L

FP-LSF16V

Dimension(LxWxH):
930×430×310mm
N.W./G.W.: 32/35Kgs
Capacity: 16L



FP-HSF-8

Dimension(LxWxH):
730×220×280mm
Bowl Volume: 8L
N.W: 30kgs



FP-LSF12V

Dimension(LxWxH): 750×310×290mm
N.W./G.W.: 28/31Kgs
Capacity: 12L



FP-HSF-16

Dimension(LxWxH):
860×260×320mm
Bowl Volume: 16L
N.W: 39kgs



FP-LSF10

Dimension(LxWxH):
750×230×260mm
N.W./G.W.: 17/20Kgs
Capacity: 10L

Filling Mixer

Description

- Suitable for mixing stuffing to make dumpling, pie, sausage etc.
- Rotating direction can be clockwise & anti-clockwise to ensure the mixed filling completely
- Food contact parts are made by stainless steel, meeting international hygienic standard.



CE

FP-HFM35A

Dimension(LxWxH):
720x510x1050mm
Voltage: 220V/50Hz
Power: 0.75Kw
Production: 35L / time
N.W./G.W: 136/166Kgs



CE

FP-HFM50A

Dimension(LxWxH):
820x510x1100mm
Voltage: 220V/50Hz
Power: 1.1Kw
Production: 50L / time
N.W./G.W: 152/186Kgs



CE

FP-HFM70A

Dimension(LxWxH):
850x500x1100mm
Voltage: 220V/50Hz
Power: 1.5Kw
Production: 70L / time
N.W./G.W: 178/210Kgs



CE

FP-HFM100A

Dimension(LxWxH):
1010x556x1100mm
Voltage: 220V/50Hz
Power: 1.5Kw
Production capacity: 100L / time
N.W./G.W: 225/263Kgs



CE

FP-HFM120A

Dimension(LxWxH):
1100x660x1210mm
Voltage: 380V/50Hz
Power: 1.5Kw
Production capacity: 120L / time
N.W./G.W: 238/280Kgs



CE

FP-HFM150A

Dimension(LxWxH):
1100x660x1260mm
Voltage: 380V/50Hz
Power: 1.5Kw
Production: 150L / time
N.W./G.W: 265/330Kgs

Meat Tender&Meat Mixer&Smoke Furnace



Manual Meat Patty Machine

SPJX-KLD08

Meat Diameter(mm): Φ100
N.W(Kg): 5.7
Dimension(mm): 24*21*28



Manual Meat Patty Machine

SPJX-KLD09

Meat Diameter(mm): Φ130
N.W(Kg): 6.5
Dimension(mm): 25.5*27*25



Manual Meat Tender

SPJX-KLD13

Meat Length(mm): 7inch/175mm
Blade Quantity:37*2
Dimension(cm):33*18.5*29
N.W/G.W(Kg):7.3

SPJX-KLD14

Meat Length(mm):5inch/125mm
Blade Quantity:27*2
Dimension(cm):28*16.8*23.5
N.W/G.W(Kg):6.5



Electric Meat Tender

SPJX-KLD15

Meat Length(mm):7 inch/175mm
Blade Quantity:37*2
Dimension(cm):49.5*22*41
N.W/G.W(Kg):24.5
Voltage(V/Hz):220-240
Power(W):300

SPJX-KLD16

Meat Length(mm): 5inch/125mm
Blade Quantity:27*2
Dimension(cm):45*21*41
N.W/G.W(Kg):23.8
Voltage:220-240
Power(W):300



Manual Meat Mixer

SPJX-KLD28

Capacity (Galon/L):4.2Ga/16L
Dimension(cm): 24*21*28
N.W(Kg): 10

SPJX-KLD29

Capacity (Galon/L)7Ga/27L
Dimension(cm): 25.5*27*25
N.W(Kg): 15

SPJX-KLD30

Capacity (Galon/L) 4.2Ga/16L
Dimension(cm): 25.5*27*28
N.W(Kg): 11



Electric Meat Mixer

SPJX-KLD31

Capacity (Galon/L)4.2Gz/16L
Power(w)300
Dimension(cm): 54*21*28
Voltage(V/Hz)220
N.W(Kg): 30

SPJX-KLD32

Capacity (Galon/L) 7Ga/27L
Power(w) 300
Dimension(cm): 56*33*25
Voltage(V/Hz)220
N.W(Kg):33

Smoked Furnace

SPJX-KLD43

Voltage(V/Hz) 220/50
Power(w) 1000
Temperature(℃) 30-135
Dimension(mm): 450*400*870
Shelf: 4
Time(H): 0-3

SPJX-KLD44

Voltage(V/Hz) 220/50
Power(w) 2000
Temperature (℃) 30-135
Dimension(mm): 450*400*1180
Shelf: 6
Time(H): 0-24



Fruits and Vegetables Dehydrator

SPJX-KLD40

Voltage(V/Hz): 220/50
Power(w): 800
Shelf Size(mm):412*368
Dimension(cm): 476*420*228

SPJX-KLD42

Voltage(V/Hz): 220/50
Power(w): 800
Shelf Size(mm):412*368
Dimension(cm): 476*420*228



Electric Sausage Slicer

SPJX-KLD34

Voltage(V/Hz): 220-240V/50Hz
Power(KW): 0.55
Dimension(cm): 28.5*48*45.5
N.W(Kg): 8

SPJX-KLD35

Voltage(V/Hz): 220-240V/50Hz
Power(KW): 0.55
Dimension(cm): 28.5*48.45.5
N.W/G.W(Kg): 8



Manual Sausage Knotting Machine

SPJX-KLD36

Packing Size:15*35*50cm
N.W/G.W:15/18KG

Large Food Processing Equipment



Large Vegetable Cutter
FC-306

Dimension : 1020x760x1370mm
Cutting Size: 0-60mm (adjustable)
Capacity: 800-1500Kg/h
Power: 1hp+2hp
Net Weight: 140Kg
Width of Belt: 165mm
Voltage: 220V single phase or 380V



Garlic Grinding Machine
FC-307

Dimension : 800 x 380 x 1000mm
Power: 3hp
Capacity: 600-800kg/h
Voltage: 380V or 220V



Large Fish Skinner
FGB-400

Size : 620x570x900mm
Weight : 98KG
Power : 750w
Electricity 380V or 220V
Roller Speed : 22m/min
Capacity : 30- 50 pcs / min
Blade Length: 40cm



Vegetable Dehydrator
(Frequency Converter Control)

FZHS-15

Dimension: L900xW600xH900mm
Basket Size: 420*360*360mm
Capacity: 15KG / time
Voltage 380V/3



Vacuum Roll Mix Machine
FK-180

Dimension 1500X850X930
Drive Power: 0.37KW
Vacuum Pump Power: 0.37KW
Total Power: 0.74KW
Voltage 380V 50Hz
Rotation Speed: 4r/min
Vacume: 180L
Capacity 100KG
Vacuum Degree: -0.08MPa
Net Weight: 250KG
Mixing Time: 0- 12h adjustable



Onion Peeling Machine
FX-128-3A

Dimension: 920x680x1420mm
Power : 100W
Air Flow Capacity: 2 m3/ min
Capacity: 300KG/h
Net Weight : 100KG
Air Compressor Required:
15 KW, 2 m3/ min, 8-9kg/cm2
Voltage: 220V



Vegetable Washing Machine
without Ozone

WASC-10

Tank Dimension: 750x300x510mm
Size: 1000x700x1000mm
Voltage: 220V 50Hz
Power: 1.1kw
Capacity: 200-300kg/h



Potato Chip Washing -Cutting-Weighting Production Line
FX-FF

Potato Weighing packing processing line: washing peeling-polishing-inspecting-cutting-cleaning-weighing-packing. It's a full automatic processing line for vegetable roots like potato, carrot, radish, beets, turnip, ect.

Bone Saw Machine



CE



Bone Saw Machine FP-HBS210

Dimension(LxWxH):
520x490x840mm
Voltage: 220V/50Hz
Power: 0.5Kw
Belt Wheel Dia.: 210mm
Blade Speed: 15m/s
Table Size: 400x436mm
Cutting Thickness: 4~180mm
N.W/G.W: 50/69Kgs



CE

Bone Saw Machine FP-HBS210S

Dimension(LxWxH):
660x530x970mm
Voltage: 220V/50Hz
Power: 0.5Kw
Belt Wheel Dia.: 210mm
Blade Speed: 15m/s
Table Size: 610x530mm
Cutting Thickness: 4~180mm
N.W/G.W: 56/77Kgs



CE

Bone Saw Machine FP-HBS300S

Dimension(LxWxH): 780x710x1690mm
Voltage: 380V/50Hz
Power: 1.5Kw
Belt Wheel Dia.: 300mm
Blade Speed: 15m/s
Table Size: 712x662mm
Cutting Thickness: 30~250mm
N.W/G.W: 115/160Kgs



CE

Bone Saw Machine FP-HBS300

Dimension(LxWxH): 780x710x1690mm
Voltage: 380V/50Hz
Power: 1.5Kw
Belt Wheel Dia.: 300mm
Blade Speed: 15m/s
Table Size: 712x662mm
Cutting Thickness: 30~250mm
N.W/G.W: 115/160Kgs




Spiral Potato Slicer

SPIRAL POTATO SLICER (Manual Style)

INSP-1

Professional Cutting: Spiral Type
Vegetable can be cut: Potato, Sweet Potato, Carrot, etc.
Material: 304# Stainless Steel
Slicer time: 7 Seconds for each potato
Dimension(LxWxH): 370×125×173 mm
Package Size: 390×145×193 mm
N.W: 2 Kgs



INSP-1B

2 Types of Cutting: Spiral Type, Ribbon Type
Vegetable can be cut: Potato, Sweet Potato, Carrot, Onion, Cucumber, etc.
Material: 304# Stainless Steel
Slicer time: 7 Seconds for each potato
Dimension(LxWxH): 370×125×173 mm
Package Size: 390×145×193 mm
N.W: 2 Kgs



Bodkin

Material: Stainless Steel
Size: 230 mm length
Function: It is easier to make a hole into potato instead of bamboo stick.

INSP-3B

2 Types of Cutting: Spiral Type, Ribbon Type
Vegetable can be cut: Potato, Sweet Potato, Carrot, Onion, Cucumber, etc.
Slicer time: 5 Seconds for each potato
Voltage: 220 V/50 Hz, 60Hz, 110V/60 Hz
Power: 40W
Dimension(LxWxH): 500×225×220 mm
Package Size: 440×170×170 mm
N.W: 6.4 Kgs



Juice Maker & Orange Juicer

JUICE MAKER

Description

- High efficiency, easy to operate, can be used for many kinds of fruit and vegetable;
- Elegant and compact design, shells are made of aluminum alloy, food contact part made of stainless steel.



ZJ-1/ZJ-1A

Outer Spray Paint/Aluminium alloy polishing

Voltage: 220V/50Hz

Power: 0.55Kw

Motor speed: 2800r/min

Cutting Disc Dia: 136mm

Packing Size: 450x400x530mm

N.W/G.W: 27/34 kg

ZJ-145

Aluminium alloy polishing

Voltage: 220V/50Hz

Power: 0.55Kw

Motor speed: 2800r/min

Cutting Disc Dia: 145mm

Packing Size: 450x400x530mm

N.W/G.W: 27/34 kg

AUTO ORANGE JUICER (series of juice extractor)



BV-GOJ4

Power supply: 220V 50Hz/110V 60Hz

Power: 120W

Size of orange: 40-90mm(Diameter)

Output: 20 Orange/min

Dimension(LxWxH):

400Lx450Wx900H mm

Weight: 55kg

Yield: 40%-50%



BV-GOJ2

Power supply: 220V 50Hz/110V 60Hz

Power: 120W

Size of orange: 40-90mm(Diameter)

Output: 20 Orange/min

Dimension(LxWxH):

400Lx300Wx600H mm

Weight: 40kg

Yield: 40%-50%



2000C-4

Power supply: 220V 50Hz/110V 60Hz

Power: 120W

Size of orange: 40-90mm(Diameter)

Output: 20 Orange/min

Dimension(LxWxH):

510Lx540Wx1620H mm

Weight: 76kg

Yield: 40%-50%



BV-GOJ5

Power supply: 220V 50Hz/110V 60Hz

Power: 120W

Size of orange: 40-75mm(Diameter)

Output: 20 Orange/min

Dimension(LxWxH):

420Lx450Wx680H mm

Weight: 43kg

Yield: 40%-50%



BV-GOJ3

Power supply: 220V 50Hz/110V 60Hz

Power: 120W

Size of orange: 40-90mm(Diameter)

Output: 20 Orange/min

Dimension(LxWxH): 400Lx300Wx780H mm

Weight: 50kg

Yield: 40%-50%

Remark: 2000E-1 Plastic transparent face cover
2000E-3 Stainless steel steel face cover

Ice crusher & Ice Blender



Ice Flaker
BV-HIF

Dimensions(LxWxH):
422×402×745mm
Voltage: 220V/50Hz
Power: 0.18Kw
Capacity: 120kg/h
N.W/G.W: 48/59Kgs
Packing Size: 500×400×850mm



CE

Ice Chopper
BV-HIC1

Dimensions(LxWxH):
430×160×260mm
Voltage: 220V/50Hz
Power: 0.18Kw
Capacity: 120kg/h
N.W/G.W: 12/15kgs
Packing Size: 420×240×380mm



CE

Ice Chopper
BV-HIC2

Dimensions(LxWxH):
430×210×300mm
Voltage: 220V/50Hz
Power: 0.18Kw
Capacity: 120kg/h
N.W/G.W: 13/16kgs
Packing Size: 440×250×350mm



Ice Blender
DF-102

Dimensions(LxWxH):
450×230×200mm
Volume: 2L
Voltage: 110V or 220V
Power: 1350W
Packing size: 270×235×500mm



Ice Blender
DF-108

Dimensions(LxWxH):
450×230×200mm
Volume: 2L
Voltage: 110V or 220V
Power: 1350W
Packing size: 270×235×500mm



Ice Blender
DF-109

Dimensions(LxWxH):
450×230×200mm
Volume: 2L
Voltage: 110V or 220V
Power: 1350W
Packing size: 270×235×500mm



Ice Blender
DF-116

Dimensions(LxWxH):
270×235×500mm
Volume: 2L
Voltage: 110V or 220V
Power: 1500W
Packing Size: 270×235×500mm



Ice Blender
DF-117

Dimensions(LxWxH):
270×235×500mm
Volume: 2L
Voltage: 110V or 220V
Power: 1500W
Packing Size: 270×235×500mm



Ice Blender
BV-IB2.2L

Dimensions(LxWxH):
330X320X558mm
Volume: 2.2L
Voltage: 220V /50Hz
Power: 1250W
Rotate speed: 28000rpm
Weight/PC: 5.6Kg

Unlimited speed regulation
mechanical type



Ice Blender
BY-9599Z

Voltage: 220~240v/110~120V
Power: 1800W
Rotate speed: 12000~28000rpm
Jug Capacity: 2.7L
Carton size: 355*290*605mm
With cover

Micro computr control,
different program and time
to choose

