

Laundry Equipment



Industrial Washing Machine
Industrial Drying Machine
Flatwork Ironing Machine
Folding Machine
Dry Cleaning Machine
Finishing Equipment



US LISTED



Laundry Equipment

XGQ Series Full Automatic Washer Extractor



Model	Unit	XGQ-30F	XGQ-50F	XGQ-70F	XGQ-100F
Washing Capacity	kg	30	50	70	100
Drum Dimension	mm	Φ880x560	Φ990x670	Φ1200x650	Φ1230x850
Drum Volume	L	340	515	734	1010
Voltage	V	110/220/240/380/415/440			
Motor Power	kw	4	5.5	7.5	7.5
Inverter Power	kw	5.5	7.5	11	11
Washing Speed	rpm	39	38	36	36
Extracting Speed	rpm	328/781	308/736	308/669	308/660
Steam Pressure	Mpa	0.3-0.5	0.3-0.5	0.3-0.5	0.3-0.5
Steam Consumption	kg/h	15	25	35	50
Electric Heating Power	kw	20	24	48	48
Dimension(L.W.H)	mm	1370x1300x1730	1520x1630x1990	1820x1840x2250	1820x1960x2250
G.W.	kg	1200	2000	3000	3500

XGQ Series Full Automatic Washer Extractor



Model	Unit	XGQ-15F	XGQ-20F	XGQ-25F
Washing Capacity	kg	15	20	25
Drum Dimension	mm	Φ700x440	Φ750x500	Φ800x500
Drum Volume	L	170	221	250
Voltage	V	110/220/240/380/415/440		
Motor Power	kw	2.2	2.2	2.2
Inverter Power	kw	2.2	2.2	2.2
Washing Speed	rpm	47	45	45
Extracting Speed	rpm	350/874	350/846	300/650
Steam Pressure	Mpa	0.3-0.5	0.3-0.5	0.3-0.5
Steam Consumption	kg/h	7.5	10	12.5
Electric Heating Power	kw	6	10	15
Dimension(L.W.H)	mm	1050x910x1490	1200x1050x1640	1220x1250x1750
G.W.	kg	500	650	1100

3 In 1 Washer(Washing,Extracting,Drying)



Model	Unit	XTH-15	XTH-20	XTH-25
Washing Capacity	kg	15	20	25
Drum Dimension	mm	Φ700x450	Φ800x450	Φ800x500
Drum Volume	L	173	226	251
Voltage	V	110/220/240/380/415/440		
Motor Power	kw	2.2	2.2	2.2
Inverter Power	kw	2.2	2.2	2.2
Washing Speed	rpm	58	48	48
Extracting Speed	rpm	875	820	820
Electric Heating Power	kw	7	12	15
Electric Drying Power	kw	7.5	9	15
Fan Power	kw	0.55	0.55	0.75
Dimension(L.W.H)	mm	1140x1100x1610	1220x1200x1650	1220x1250x1650
G.W.	kg	830	980	1100

Laundry Equipment

HGQ Series Full Automatic Drying Machine

Model	Unit	HGQ-15	HGQ-25	HGQ-35	HGQ-50
Drying Capacity	kg	15	25	35	50
Drum Dimension	mm	Φ760x650	Φ960x650	Φ960x1000	Φ1200x870
Drum Volume	L	295	470	723	983
Voltage	V	110/220/240/380/415/440			
Motor Power	kw	0.55	0.75	0.75	1.1
Fan Power	kw	0.55	0.75	0.75	1.1
Steam Pressure	Mpa	0.4-0.6	0.4-0.6	0.4-0.6	0.4-0.6
Steam Consumption	kg/h	40-50	50-60	60-70	70-80
Electric Heating Power	kw	14	19.8	35.2	48
Gas Consumption	m ³ /h	1.5	2	2.5	3.5
LPG Consumption	kg/h	1.8	2.4	3	4.2
Dimension(L.W.H)	mm	840x1200x1620	1060x1150x1950	1180x1360x2050	1310x1460x2200
G.W.	kg	320	400	450	550

Model	Unit	HGQ-70	HGQ-100	HGQ-150
Drying Capacity	kg	70	100	150
Drum Dimension	mm	Φ1280x890	Φ800x450	Φ800x500
Drum Volume	L	1145	226	251
Voltage	V	110/220/240/380/415/440		
Motor Power	kw	1.1	2.2	4
Fan Power	kw	1.1	1.5x2	2.2x2
Steam Pressure	Mpa	0.4-0.6	0.4-0.6	0.4-0.6
Steam Consumption	kg/h	80-100	120-150	190-230
Electric Heating Power	kw	60	66	88
Gas Consumption	m ³ /h	4.5	6	11.5
LPG Consumption	kg/h	5.4	7.2	13.8
Dimension(L.W.H)	mm	1410x1510x2300	1560x2050x2320	1820x2350x2560
G.W.	kg	600	1000	1300



TL Series Hydro Extracting Machine

Model	Unit	TL-15	TL-25	TL-35
Washing Capacity	kg	15	25	35
Drum Dimension	mm	Φ440x370	Φ570x330	Φ640x330
Drum Volume	L	562	842	1061
Voltage	V	110/220/240/380/415/440		
Motor Power	kw	1.1	1.1	1.5
Extracting Speed	rpm	900	850	830
Dimension(L.W.H)	mm	800x800x780	1200x1000x650	1300x1100x750
G.W.	kg	125	350	400



Model	Unit	TL-50	TL-70	TL-100	TL-120
Washing Capacity	kg	50	70	100	120
Drum Dimension	mm	Φ850x390	Φ950x400	Φ1000x380	Φ1200x380
Drum Volume	L	2212	2834	2983	4296
Voltage	V	110/220/240/380/415/440			
Motor Power	kw	4	5.5	7.5	11
Extracting Speed	rpm	786	780	770	720
Dimension(L.W.H)	mm	1650x1300x850	1700x1400x900	1670x1460x1000	1900x1650x920
G.W.	kg	850	900	1000	1200

Laundry Equipment

Full Automatic Perc Dry Cleaning Machine



Model	Unit	GXQ-8	GXQ-10	GXQ-12	GXQ-16
Capacity	kg	8	10	12	16
Drum Diameter	mm	716x380	716x432	716x452	950x445
Drum Volume	L	137	174	182	312
Voltage	V	110/220/240/380/415/440			
Motor Power	kw	0.4	0.4	0.4	0.75
Filter Motor Power	kw	0.55	0.55	0.55	0.55
Pump Power	kw	0.75	0.75	0.75	1.5
Fan Motor Power	kw	0.75	0.75	0.75	0.75
Washing Speed	rpm	34	34	34	34
Extracting Speed	rpm	370	370	370	370
Dimension(L.W.H)	mm	1480x1280x2050	1560x1360x2040	1520x1360x2110	2070x1440x2250
G.W.	kg	700	800	980	1230

Full Automatic Hydrocarbon Dry Cleaning Machine



Model	Unit	SGX-8	SGX-10	SGX-12	SGX-15
Capacity	kg	8	10	12	15
Drum Diameter	mm	Φ630x300	Φ700x300	Φ700x350	Φ720x437
Voltage	V	110/220/240/380/415/440			
Motor Power	kw	1.5	1.5	1.5	2.2
Inverter Power	kw	1.5	1.5	1.5	2.2
Pump Power	kw	0.55	0.55	0.55	0.75
Washing Speed	rpm	50	48	48	46
Extracting Speed	rpm	100/900	88/850	88/850	85/850
Dimension(L.W.H)	mm	1550x900x1700	1580x950x1700	1580x960x1700	1580x980x1700
G.W.	kg	600	650	710	760

Bed Sheet Folding Machine



Model	Unit	ZD3000-V	ZD3300-V
Max Folding Size	mm	3000x3000	3300x3300
Folding Speed	rpm	50	50
Voltage	V	110/220/240/380/415/440	
Motor Power	kw	1.48	1.48
Inverter Power	kw	0.75x2	0.75x2
Dimension(L.W.H)	mm	4270x3110x1856	4800x2800x1860
G.W.	kg	1430	1700

Towel Folding Machine With Stacker



Model	Unit	TFM
Max Folding Size	mm	1800x1200
Folding Speed	rpm	50
Voltage	V	110/220/240/380/415/440
Motor Power	kw	0.12X8
Inverter Power	kw	0.15X8
Dimension(L.W.H)	mm	3500x2150x1350
G.W.	kg	1500

Laundry Equipment



1 Roller Model



2 Roller Model



3 Roller Model

Gas/Steam Flatwork Ironer(1 Roller)

Model	Unit	YP-37722	YP-37725	YP-37728	YP-37730	YP-37733
Iron Roller Diameter	mm	Φ377	Φ377	Φ377	Φ377	Φ377
Iron Roller Qty.	pc	1	1	1	1	1
Ironing Speed	m/min	0-10	0-10	0-10	0-10	0-10
Voltage	V	110/220/240/380/415/440				
Motor Power	kw	0.75	0.75	0.75	0.75	0.75
Inverter Power	kw	1.5	1.5	1.5	1.5	1.5
Blower Power	kw	0.55	0.55	0.55	0.55	0.55
Fan Motor Power	kw	0.75	0.75	0.75	0.75	0.75
Smoke Exhauster Power	kw	0.37	0.37	0.37	0.37	0.37
Natural Gas Consumption	m ³ /h	6	6	6	6	6
LPG Consumption	kg/h	7.2	7.2	7.2	7.2	7.2
Dimension(L.W.H)	mm	3200x950x1800	3500x950x1800	3800x950x1800	4020x950x1800	4320x950x1800
G.W.	kg	890	920	1000	1080	1161

Electric/Steam Flatwork Ironer(2 Roller)

Model	Unit	YP2-8022	YP2-8025	YP2-8028	YP2-8028	YP2-8033
Iron Roller Length	mm	2200	2500	2800	3000	3300
Iron Roller Diameter	mm	Φ800	Φ800	Φ800	Φ800	Φ800
Iron Roller Qty.	pc	2	2	2	2	2
Ironing Speed	m/min	0-23	0-23	0-23	0-23	0-23
Voltage	V	110/220/240/380/415/440				
Motor Power	kw	1.5	1.5	1.5	1.5	1.5
Inverter Power	kw	2.2	2.2	2.2	2.2	2.2
Steam Pressure	Mpa	0.3-0.6	0.3-0.6	0.3-0.6	0.3-0.6	0.3-0.6
Steam Consumption	kg/h	120	130	140	150	160
Electric Heating Power	kw	54	60	66	72	78
Dimension(L.W.H)	mm	3450x2150x1280	3750x2150x1280	4050x2150x1280	4250x2150x1280	4550x2150x1280
G.W.	kg	1740	1800	1980	2100	2280

Electric/Steam Flatwork Ironer(3 Roller)

Model	Unit	YP3-8030	YP3-8033
Iron Roller Length	mm	3000	3300
Iron Roller Diameter	mm	Φ800	Φ800
Iron Roller Qty.	pc	3	3
Ironing Speed	m/min	0-34	0-34
Voltage	V	110/220/240/380/415/440	
Motor Power	kw	2.2	2.2
Inverter Power	kw	2.2	2.2
Steam Pressure	Mpa	0.3-0.6	0.3-0.6
Steam Consumption	kg/h	200	220
Electric Heating Power	kw	97	113
Dimension(L.W.H)	mm	4250x3300x1350	4550x3300x1350
G.W.	kg	3100	3370



Laundry Equipment



Shoulder & Back Steam Press Machine

Model	Unit	MJT-128
Steam Consumption	kg/h	12
Dimension	mm	1300x1150x1400
Total Weight	kg	200



Pants Steam Press Machine

Model	Unit	ZPT-10
Required Steam Pressure	kg/cm ²	4-5
Steam Consumption	kg/h	15
Required Vacuum	m ³ /min	2.5
Dimension	mm	1200x1280x1300
Total Weight	kg	320

Clothes Conveying Line



Model	Hanging Capacity	Length	Voltage	Power
S-18	252	2860mm	220/380V	0.55kw
S-20	280	3210mm	220/380V	0.55kw
S-22	308	3560mm	220/380V	0.75kw
S-25	350	4080mm	220/380V	0.75kw
S-29	406	4780mm	220/380V	0.75kw
S-36	504	6000mm	380V	0.75kw
S-43	602	7230mm	380V	0.75kw
S-50	700	8460mm	380V	1.10kw



Steam Generator

Model	Unit	ZDF-3	ZDF-6	ZDF-9	ZDF-12	ZDF-18
Evaporating Capacity	kg/h	4.3	8.6	12.9	17	25
Pump Power	kw	0.75	0.75	0.75	0.75	0.75
Heating Power	kw	3	6	9	12	18
Dimension	mm	560x370x810mm	780x450x1100	630x560x1360	630x560x1360	720x650x1510
G.W.	kg/h	30	70	80	80	128

Laundry Equipment



Uniform Steam Press Machine

Model	Unit	MJT-127
Steam Consumption	kg/h	12
Dimension	mm	1300x1350x1400
Total Weight	kg	300



Ironing Table With Swing Arm

Model	Unit	XTT
Work table (LxW)	mm	1500× 800
Motor Power	kg/m2	15
Rated Voltage	kw	0.37
Dimension	V	110/220/240/380/415/440
G.W.	mm	1510× 900× 960
	kg	75



Stain Remove Table

Model	Unit	QZ
Working Size	mm	200x800
Rated Voltage	V	110/220/240/380/415/440
Motor Power	kw	0.75kW/2P
Dimension	mm	1156x400x1730
N.W.	kg	56



Multi-function Ironing Table

Model	Unit	DNG-6
Work table (LxW)	mm	1500× 400
Water capacity	kg/h	18
Evaporation	kg/h	3.8
Motor Power	Motor	0.75
Power	kw	3
Pressure	mpa	0.4
Temperature	°C	151
Rated Voltage	V	220
Dimension	mm	1700x600x1900
G.W.	kg	150

Laundry Equipment



Shirt Collar And Cuff Pressing Machine

Model	Unit	CCPM-6
Steam Pressure	Mpa	0.4-0.6
Steam Consumption	Kg/h	10
Compressed air pressure	Mpa	0.4-0.6
Compressed air consumption	L/min	16
Power	Kw	2.3
Occupied Area	mm	1300x1350x1400
Total Weight	Kg	350



Automatic Dummy Machine

Model	Unit	
Motor Power	W	550
Voltage	V	220V/50HZ
Steam Pressure	Mpa	0.4
Dimension	mm	1350x800x1600
Weight	kg	76



Clothes Packing Machine

Model	Unit	BZ-6
Motor Power	W	220
Voltage	V	220V/50HZ
Width of Plastic	mm	≤600
Thickness	mm	0.15~0.3
Dimension	mm	800x600x1780
Weight	kg	55



Universal Laundry Press Machine

Model	Unit	WJT-125
Working Size	Mm	1200x300
Motor Power	Kw	0.8
Voltage	V	220
Steam Pressure	Mpa	0.6
Consumption of Steam	kg/h	15
Compress Air Pressure	Mpa	0.6
Compressed air consumption	L/min	20
Dimension	mm	1350x1110x14
Weight	Kg	320